

Specially designed for
CITY WOOD EGYPT



EURO TOUCH has been a know brand for durable and long lasting laminate panels. We are setting the bar for laminate product that meet the needs of every modern home have look in this look of the most wanted product of India.

Where wood meet elegance



Scan QR Code for
Digital Catalog

Manufactured By
Noble
Laminates (P) Ltd
Made in India



www.citywoodegypt.com
info@citywoodegypt.com
01006388755, 01152161140



www.citywoodegypt.com
info@citywoodegypt.com
01006388755, 01152161140




MADE IN INDIA
INSPIRED
BY NATURE
Where wood meet elegance



CITY WOOD
سیتی وود




MADE TO
**LAST BUILT TO
IMPRESS**



www.citywoodegypt.com
info@citywoodegypt.com
01006388755, 01152161140

DESIGNS FOR IMPACTFUL DECOR


We are inspired to create
means to build meaningful
spaces




Made To Last, BUILT TO IMPRESS



Euro Touch Laminate is a game-changer liner designed to save you precious time and energy. It is a ready-to-use, tailor-made solution where the desired laminate is bonded together with Euro Touch Laminate. This innovative product ensures your work takes less per your choice of design and Euro Touch Laminate.



DESIGNS FOR IMPACTFUL DECOR



NEW

4012 - SF




8240 - SF



NEW

8462 - SF



8244 - SF



8477 - SF



8182 - SF




8226 - SF



NEW

8430 - SF





9909 - SF



835 - SF



8014 - SF



8184 - SF




8541 - SF



8537 - SF

9909 - SF





8926 - SF



8469 - SF




8463 - SF



732 - SF



8624 - SF



8550 - SF



8631 - VZ




8630 - VZ




8551 - SF



4014 - SF




4013 - SF



9057 - SF



8623 - SF



8622 - SF



8468 - SF



8547 - SF



8536 - SF



4022 - SF

NEW



602 - SF



8458 - SF



8554 - SF



606 - SF



767 - SF



4023 - SF

NEW



8621 - SF


NEW



8460 - SF



8467 - SF



NEW

8031 - SF



8007 - SF



645 - SF




8376 - SF



NEW

4024 - SF





8475 - SF



8243 - SF



9058 - SF



9004 - SF





NEW



4017 - SF



NEW



4028 - SF



NEW



4030 - SF



8441 - SF



8180 - SF



8488 - SF




786 - SF



5941 - SF



5940 - SF



8495 - SF



8632 - SF




8491 - SF



8478 - SF



8495 SF



NEW

4014- SF




NEW


4025 - SF



4025 SF



6054 - SF



4020 - SF



4019 - SF



5939 - SF



8555 - SF



8439 - SF



8440 - SF



5938 - SF




8176 - SF



8437 - SF



8438 - SF




4016 -SF



NEW

4018 -SF




NEW



9059 -SF



4021 -SF





NEW


8467 -SF



622 -SF




101 - CC HG



105 - CC HG



114 - CC HG



140 - CC HG


SS
ORS



4001 - HG



140 - HG



107 - HG




5082 - HG



105 - HG



4001 - SF




5009 - SF



5083 -SF



5015 - SF



5054 - SF



105 - SF



5082 -SF



5080 - SF



127 - SF




5079 - SF



5078 - SF



130 - SF



109 - SF




5081 - SF




133 - SF



5007 - SF





4001 - MF




5004 - MF



1001 - MF




5001 - SM




5002 - SM


NEW



107 - SM



163 - SM




113 - SMT




159 - SM

NEW



185 - SM

NEW



172 - SM

NEW




162 - SM


NEW



135 - SMT




111 - SM



176 - SM

NEW



187 - SMT




ANTI FINGER PRINT

Say goodbye to constant cleaning. Our anti-fingerprint laminate is engineered to resist smudges & marks, keeping your surfaces looking pristine. It's the perfect blend of durability, elegance, and low-maintenance convenience for any space.



8496 -SF





8549 - HG



992 - HG




3517 - HG



8548 - HG



8553 - SM



8544 - SF



944 - SF



8545 - SF




8492 - HG



8494 - HG



8498 - HG



8493 - HG



TEXTURE **WOODEN** COLLECTION

The Wooden Texture Collection brings the authentic look of wood into your home. Each surface is crafted to show a distinctive character, offering a refined finish that adds a quiet, natural warmth to any space. It's an effortlessly elegant solution that provides the enduring beauty of wood, designed to simply enhance your surroundings



TEXTURE WOODEN
COLLECTION




661 - ED




1246 - WS



662 - ED



8108 - RW



NEW



5918 - IP



5921 - 138




NEW

4032-N45



8468 - IP



NEW



2865 - 138



3082 - SS




8357 - AS - 12



5213 - 101





1249 - WS



1248 - WS



8183 - RW




NEW



625 - N - 39



995 - N16



NEW

4010 - N45



NEW

4016 - N45



NEW

4018 - N45




NEW

4014 - N45



NEW

8415 - IP



NEW



8539 - N19



NEW



8538 - N19



5293 - N25




1201 - WS



8599-N39





NEW



4025-N45



NEW



4021-VNR



NEW

4011-N46



NEW


4012-N46



NEW



4013-VNR



NEW



4019-N44



NEW

4020-N44

NEW



NEW

8547-VNR

PAGE NO	CODE	FINISH	PAGE NO	CODE	FINISH	PAGE NO	CODE	FINISH
01	4012	SF NEW	14	645	SF	28	622	SF NEW
01	8240	SF	14	8376	SF	29	4023	SF NEW
01	8477	SF	14	4024	SF NEW	29	4024	SF NEW
01	8182	SF	15	8475	SF	31	101	CC HG
02	8462	SF NEW	15	8243	SF	31	105	CC HG
02	8244	SF	15	9058	SF	31	114	CC HG
02	8226	SF	15	9004	SF	31	140	CC HG
02	8430	SF NEW	17	4017	SF NEW	31	4001	HG
03	9909	SF	17	4028	SF NEW	31	140	HG
03	835	SF	17	8488	SF	31	107	HG
03	8014	SF	17	786	SF	31	5082	HG
03	8184	SF	18	4030	SF NEW	31	105	HG
03	8541	SF	18	8441	SF	32	4001	SF
03	8537	SF	18	5941	SF	32	5009	SF
06	8926	SF	18	8180	SF	32	5083	SF
06	8469	SF	18	5940	SF	32	5015	SF
06	8463	SF	19	8495	SF	32	5054	SF
06	732	SF	19	8632	SF	32	105	SF
06	8624	SF	20	8491	SF	32	5082	SF
07	8550	SF	20	8478	SF	32	5080	SF
07	8551	SF	21	4031	SF NEW	32	127	SF
08	8631	VZ NEW	21	4025	SF NEW	32	5079	SF
08	8630	VZ NEW	23	4032	37 NEW	32	5078	SF
08	4029	SF NEW	23	6054	SF	32	130	SF
09	9057	SF	23	5939	SF	32	109	SF
09	8468	SF	23	8555	SF	32	5081	SF
10	8547	SF	23	5938	SF	32	133	SF
10	8623	SF	23	8176	SF	32	5007	SF
10	8622	SF	24	4020	SF NEW	32	4001	MF
10	8536	SF	24	4019	SF NEW	32	5004	MF
11	4022	SF NEW	24	8439	SF	32	1001	MF
11	8621	SF NEW	24	8440	SF	33	5001	SM
11	602	SF	24	8437	SF	33	5002	SM NEW
11	606	SF	24	8438	SF	33	107	SM
11	8460	SF	25	4011	SF NEW	33	163	SM
12	8458	SF	25	4013	SF NEW	33	113	SMT
12	8554	SF	26	4014	SF NEW	33	159	SM NEW
12	8632	SF	27	4016	SF NEW	33	185	SM NEW
12	8632	SF	27	4018	SF NEW	33	172	SM NEW
12	4023	SF NEW	27	4021	SF NEW	33	162	SM NEW
13	8031	SF NEW	27	4010	SF NEW	33	135	SMT
13	8007	SF	28	9059	SF NEW	33	111	SM

PAGE NO	CODE	FINISH	PAGE NO	CODE	FINISH
33	176	SM NEW	51	4021	VR NEW
33	187	SMT	52	4022	N 38 NEW
35	8438	SF	52	4023	N 38 NEW
37	8549	HG	53	4028	TEX NEW
37	8548	HG	53	4032	VR NEW
38	992	HG	53	8547	VR NEW
38	3517	HG			
38	8553	SM			
39	8544	SF			
39	944	SF			
39	8545	SF			
40	8492	HG			
40	8498	HG			
40	8494	HG			
40	8493	HG			
42	661	ED			
42	1246	WS			
42	662	ED			
42	8108	RW			
43	5918	IP NEW			
43	5921	138			
44	2865	138 NEW			
44	8468	IP			
44	3082	SS			
44	8357	AS 12			
44	5213	101			
45	1249	WS			
45	1248	WS			
46	8183	RW			
46	625	N 39 NEW			
46	995	N16			
47	4010	TX NEW			
47	4016	TX NEW			
47	4014	TX NEW			
48	4018	N4 NEW			
48	8415	IP NEW			
49	8539	N19 NEW			
49	8538	N19 NEW			
49	5293	N25			
49	1201	WS			
51	4013	TX NEW			
51	4017	N 33 NEW			

Specifications	Erurotouch HPI	Units	standard Range & Value	Testing Protocol
Geometric & Physical Properties				
Metrics				
Nominal Thickness	0.5 / 0.7 (± 0.10)	mm	-	-
Thickness tolerance	0.57 to 0.65	mm	± 0.10	EN 438-2-5
Denisty	1.38 to 1.40	gms/cm3	1.35 Min	EN ISO 1183-1
Straighness of edges	≤ 1.5	mm	≤ 1.5 deviation	EN 438-2-7
squareness of edges	≤ 1.5	mm		EN 438-2-8
Flatness	≤ 54	mm	≤ 60 deviation	EN 438-2-9
Dimensional Srtability at high temperature				
- longitudinal	≤ 0.35	%	≤ 0.55 Max	EN 438-2-17
- Transverse	≤ 0.65	≤ 1.05 Max	≤ 0.55	
Resistance to Boiling Water	5	rating	4 Min	EN 438-2-1
Surface Characteristics				
Surface Defects				
- Spot Defects	≤ 1	mm2/m2	≤ 1	EN 438-2-4
- Linear Defects	≤ 10	≤ 10	≤ 10	mm/m2
Resistance to surface wear (initial point)	250	No. of resolutions	150 Min	EN 438-2-1
Resistance to Steam	4	Rating	4 Min	EN 438-2-1
Resistance to Wet Heat at 100°C	5	Rating (min.)	4min	EN 438-2 - 1
Dry heat resistance (160 Degree C)	5	Rating	4 Min	EN 438-2-1
Scratch Resistant	3	N	2.0 Min	EN 438-2-2
Stain Resistant	5	Rating	5 Min	EN 438-2-2
Light fastness under artificial light, Grey Scale	5	Rating	4 min	EN 438-2-2
Gloss Units				
- Soft Touch	7	GU	<10	
- Otherr texture	>10		-	
Contact Angle				
- Soft Touch	95	°	>90	ISO 19403-1 ISO 19403-5
- Otherr textures	88		<90	
Mechanical Specifications				
Resistance to Cracking	4	Rating	4 Min	EN 438-2-2
Impact Resistance				
- Small Diameter Ball	23	N	20 Min	EN 438-2-20
- Large Diameter Ball (drop height for ≤10mm imprint)	980	mm	≥ 800	EN 438-2-21
Minimum Bending Radius (Convex & Concave)	18	cm	20	-
Combustion Performance & Flame Behavior				
Reaction to Fire	(FSI): 26/75	class	(FSI): ≤ 25	EN 13501-1
Thermal Conductivity	0.000669	cal/s·cm·°C	0.000573	EN 12524
Ecological and Human Health Considerations				
Antibacterial Efficacy & Activity				
- Reduction in 24 hours	%	upto 99.99	95.0 (Min)	ISO 22196:2011
- Activity after 24 hours	Log Reduction	Exceeds	2.0 (Min)	
Volatile Organic Compounds (VOC) Emission	A	Class	A	ISO 16000-9
Formaldehyde Release	0.02	ppm	-	EN 16516:2017
TVOC	0.2	ppm	-	UL-2818:2013
Total Aldehydes	25	µg/m³	>30	UL-2818:201
Product sanitization/hygiene	A	Rating	A	NSF/ANSI 35
Transfer of constituents to Food during contact	3% Acetic Acid (1%) 95% Ethanol Iso-Octane lees than 0.1	-	-	EN 1186-1:2002 EN 1186-3:2002 EN 1186-14:2002
Antiviral Efficacy	95 100	% Reduction in 2 hrs % Reduction in 24 hrs	95.0 (Min)	ISO 21702-2019
Antifungal Efficacy	No Growth	Growth after 28 days	1	ASTM G-21-2015



NOBLE LAMINATES PVT. LTD.

ISO 9001:2015

The Quality Management System Applicable To:
**SCOPE : MANUFACTURE & SUPPLY PF
HIGH PRESSURE DECORATIVE AND INDUSTRIAL LAMINATED SHEET**

Specially designed for CITY WOOD EGYPT

Grades	:	General
Types	:	Standard, post forming, compact, cabinet liners, backer
Size	:	2440 mm x 1220 mm [8'x4']
Thicknesses	:	0.5, 0.7 mm [other thickness available on request]
Noble Highlight	:	100% Quality design paper from world best decorative paper manufacturer, We are using best quality kraft paper, 100 % Melamine resin and 100 % phenolic resin. Use of best chemical raw materials for better flexibility & durability. PP warpping film for surface protection till completion of furnishing work for P.G.
Care & Maintenance	:	Cleaning should be carried out with a soft moist cloth and warm soap solution. Do not use detergents containing abrasive particle or excess soda.
Disclaimer	:	Customers are advised to reconfirm selected laminate when placing orders as our liability does not include claims arising from sample chip pasting error. Samples presented are indicative of colour, pattern and surface finish but not of actual thicknesses. All metallic patterns series recommended for vertical application only. Information and sam ples for special cabinet liners, phenolic boards, special purposes compact laminates and post forming laminates are available on request.
Limited Warranty	:	Noble warrants that its products are reasonably free from manufacturing defects. The products when properly used, will comply, with normal deviations, to related manufacturing specifications. This warranty shall be limited only to the original buyer for a period of care, improper use and/or any alteration. It is recommended that the products must be inspected prior to installation and our liability will be limited to the extent of the cost of the products only.

High Pressure Laminate

Designs Catalogue



CML :2849173



ISO 9001: 2008
Reg. No. RQ91/7836



ITY WOOD
سیتی وود مصر

www.citywoodegypt.com | service@citywoodegypt.com

0106 938 6143 - 0102 648 4606 - 0100 542 9658

0109 738 4499 - 0100 295 6146 - 0109 362 7724

ش ابو رجيلة من ش مؤسسة الزكاة - محطة الترولي - امام مدرسة مودرن سكول - القاهرة