



# CORPORATE **CITYWOOD** Portfolio

City Wood has been committed to delivering the highest standards of quality and innovation in industrial wood products. Through this portfolio, we offer you a comprehensive overview of our product range and exceptional services, reflecting our dedication to excellence and creativity.

# WELCOME TO CITY WOOD Portfolio.

Welcome to City Wood Egypt's portfolio. Since 2008, we have been working hard to provide premium wood products to the Egyptian market. We are a leading company in the manufacture of industrial wood products, and we strive to raise the quality standards in this field. Through this portfolio, we provide you with a comprehensive overview of our distinguished range of products and services that confirm our commitment to regional excellence.

مرحباً بكم في portfolio شركة سيتي وود إيجيبت. تأسست شركتنا عام ٢٠٠٨، ومنذ ذلك الحين ونحن نعمل بجد لتقديم منتجات الخشب الفاخرة للسوق المصري. نحن شركة رائدة في صناعة وتقديم منتجات الأخشاب الصناعية، ونسعى جاهدين للارتقاء بمعايير الجودة والتصنيع في هذا المجال من خلال هذا البوরتفوليوج نقدم لكم نظرة شاملة على مجموعة منتجاتنا وخدماتنا المتميزة التي تعكس التزامنا بالتميز والإبداع.



# The Content

WHO WE ARE

03

OUR MISSION

04

CITY WOOD PRODUCTS

05

HPL

06

GLOMIRA

11

FOAMEX

16

PVC

18

POLYLAC

21

EDGE BANDING & GLUE

23-24

FACTORY

25

Our Projects

26


# Who We are ?

City Wood was established in 2008, with a clear vision of delivering premium products and services tailored to the ever-evolving Egyptian market. Since our foundation, we have remained committed to the highest standards of quality, while continuously embracing innovation in our solutions and designs—ensuring that we are always the first choice for our partners and clients.

We strongly believe that quality and innovation are the cornerstone of success and excellence. That's why we constantly strive to improve our products, expand our services, and meet the expectations of our customers, contributing to the growth and future of the wood and interior design industry in Egypt. Thanks to the trust of our clients and the support of our partners, City Wood Egypt has become a well-recognized name in the market, and we continue to move forward with a clear vision and steady steps towards leadership.

تأسست شركة سيتي وود إيجيبت عام 2008، ومنذ انطلاقتها وضعت لنفسها هدفاً واضحاً وهو تقديم منتجات وخدمات عالية الجودة لتواء احتياجات السوق المصري المتغيرة باستمرار على مدار السنوات ، أثبتنا التزامنا بالعمل وفق أعلى معايير الجودة ، مع الحرص الدائم على الابتكار في حلولنا وتصاميمنا ،  
لقد  
ون دائمًا الذي  
أول لشركائنا وعملائنا

نحن نؤمن أن الجودة والابتكار هما حجر الأساس لتحقيق النجاح والتميز ، لذلك نسعى باستمرار لتطوير منتجاتنا وتوسيع نطاق خدماتنا بما يليق تطلعات عملائنا ، ويساهم في بناء مستقبل أفضل لصناعة الأخشاب والديكورات في مصر بفضل ثقة عملائنا ودعم شركائنا ، أصبحت سيتي وود علامة بارزة في السوق ، ونسعى جاهدين لحفظ على هذه المكانة وتعزيزها بخطوات ثابتة ورؤية واضحة نحو الريادة.



# Our Mission

City Wood Company sets its main goals to gain the trust of our customers and ensure their complete satisfaction with everything we offer, as our firm commitment to our customers is evident in our continuous endeavor to provide high-quality products that meet their needs and exceed their expectations, we do not only provide luxury wood products, but we also make sure to follow the latest trends in design and colors, to ensure that our collection is renewed and meets all different tastes of customers .

## مهمتنا

شركة سيتي وود تضع نصب أعينها أهدافاً رئيسية تتمثل في كسب ثقة عملائنا وضمان رضاهم الكامل عن كل ما نقدمه، حيث إن التزامنا الراسخ تجاه عملائنا يتجلّى في سعيّنا المستمر لتقديم منتجات عالية الجودة تلبي احتياجاتهم وتفوق توقعاتهم، نحن لا نكتفي فقط بتقديم منتجات خشبية فاخرة، بل نحرص أيضاً على متابعة أحدث الاتجاهات في التصميم والألوان، لضمان أن تكون مجموعتنا متجددة وتلبي كافة أذواق العملاء المختلفة .  
نعمل على تطوير مجموعة متنوعة من المنتجات التي تتنوع بين الكلاسيكية والعصرية، مما يمكننا من تلبية كافة متطلبات السوق .



# Exclusive agents

## وكلاء حصريين



**GLO MIRA**  
BLOCK BOARD PET



*Stillay*



**MOBELKANT**  
EDGE BANDING

**FOAMEX**



# HPL

## Laminates



HPL is an excellent material that has spread and been widely used in a variety of fields. This material is characterized by its unique texture and provides products in the fields of kitchen manufacturing, office furniture, hotels, bathrooms, cladding, and others. HPL's wood colors vary to suit different tastes in the Egyptian market, and are considered the ideal choice for what they offer in terms of hardness, quality, and visual appeal. It is available in attractive wood colors that make it the first choice for those looking for products with high-quality designs.

إتش بي إل من الخامات الممتازة التي انتشرت واستخدمت بشكل واسع في مجموعة متنوعة من المجالات، تتميز هذه الخامة بملمسها الفريد وتوفيرها لمنتجات في مجالات صناعة المطابخ، والأثاث المكتبي، والفنادق، والحمامات، والتجاليد، وغيرها.

الألوان الخشبية الخاصة بـ "إتش بي إل" تنوع لتناسب الأذواق المختلفة في السوق المصري، وتعتبر الخيار الأمثل لما تقدمه من صلابة، جودة، وجاذبية بصرية. توفر بألوان خشبية جذابة تجعلها الخيار الأول لمن يبحث عن منتجات بتصميمات عالية الجودة.



ALL-WEATHER  
RESISTANT LAMINATES



HEAT RESISTANT  
LAMINATES



STAIN RESISTANT  
LAMINATES



ANTI-BACTERIAL  
LAMINATES



HI-FLEXIBILITY  
LAMINATES

### About EURO TOUCH

EURO TOUCH has been a known brand for durable and long lasting laminate panels. We are setting the bar for laminate product that meet the needs of every modern home have look in this look of the most wanted product of India

**EURO TOUCH** تعد علامة معروفة في مجال الألواح المسطحة وطويلة الأمد نحن نضع معايير جديدة في عالم منتجات HPL لتلبية احتياجات كل منزل عصري. ونمنحك كل مساحة مظهراً راقياً يعبر عن أكثر المنتجات المطلوبة في العالم.



HPL Laminate Dimensions :  
1220 x 2440 mm

## HPL COLLECTION

Wooden Colors

Texture Colors

Soild Colors

Marble Colors

Soft Touch Colors

# Technical Specs DATA SHEET HPL

Specifications	Erutouch HPL	Units	standard Range & Value	Testing Protocol
Geometric & Physical Properties				
Metrics				
Nominal Thickness	0.5 / 0.7 (± 0.10)	mm	-	-
Thickness tolerance	0.57 to 0.65	mm	± 0.10	EN 438-2-5
Density	1.38 to 1.40	gms/cm3	1.35 Min	EN ISO 1183-1
Straightness of edges	≤ 1.5	mm	≤ 1.5 deviation	EN 438-2-7
squareness of edges	≤ 1.5	mm	-	EN 438-2-8
Flatness	≤ 54	mm	≤ 60 deviation	EN 438-2-9
Dimensional Stability at high temperature				
- longitudinal	≤ 0.35	%	≤ 0.55 Max	EN 438-2-17
- Transverse	≤ 0.65		≤ 0.55	
Resistance to Boiling Water	5	rating	4 Min	EN 438-2-1
Surface Characteristics				
Surface Defects				
- Spot Defects	≤ 1	mm2/m2	≤ 1	EN 438-2-4
- Linear Defects	≤ 10	≤ 10	≤ 10	mm/m2
Resistance to surface wear (initial point)	250	No. of resolutions	150 Min	EN 438-2-1
Resistance to Steam	4	Rating	4 Min	EN 438-2-1
Resistance to Wet Heat at 100°C	5	Rating (min.)	4min	EN 438-2-1
Dry heat resistance (160 Degree C)	5	Rating	4 Min	EN 438-2-1
Scratch Resistant	3	N	2.0 Min	EN 438-2-2
Stain Resistant	5	Rating	5 Min	EN 438-2-2
Light fastness under artificial light, Grey Scale	5	Rating	4 min	EN 438-2-2
Gloss Unit				
- Soft Touch	7	GU	<10	
- Other texture	>10		-	
Contact Angle				
- Soft Touch	95	°	>90	ISO 19403-1   ISO 19403-5
- Other textures	88		<90	
Mechanical Specifications				
Resistance to Cracking	4	Rating	4 Min	EN 438-2-2
Impact Resistance				
- Small Diameter Ball	23	N	20 Min	EN 438-2-20
- Large Diameter Ball (drop height for ≤10mm imprint)	980	mm	≥ 800	EN 438-2-21
Minimum Bending Radius (Convex & Concave)	18	cm	20	-
Combustion Performance & Flame Behavior				
Reaction to Fire	(FSI): 26-75	class	(FSI): ≤ 25	EN 13501-1
Thermal Conductivity	0.000669	cal/s·cm·°C	0.000573	EN 12524
Ecological and Human Health Considerations				
Antibacterial Efficacy & Activity				
- Reduction in 24 hours	%	upto 99.99	95.0 (Min)	ISO 22196:2011
- Activity after 24 hours	Log Reduction	Exceeds	2.0 (Min)	
Volatile Organic Compounds (VOC) Emission	A	Class	A	ISO 16000-9
Formaldehyde Release	0.02	ppm	-	EN 16516:2017
TVOC	0.2	ppm	-	UL-2818:2013
Total Aldehydes	25	µg/m³	>30	UL-2818:201
Product sanitization/hygiene	A	Rating	A	NSF/ANSI 35
Transfer of constituents to Food during contact				
	3% Acetic Acid (1%)			EN 1186-1:2002
	95% Ethanol			EN 1186-3:2002
	Iso-Octane less than 0.1			EN 1186-14:2002
Antiviral Efficacy	95	% Reduction in 2 hrs		
	100	% Reduction in 24 hrs	95.0 (Min)	ISO 21702-2019
Antifungal Efficacy	No Growth	Growth after 28 days	1	ASTM G-21-2015



**GUJARAT TEST HOUSE**  
(HEALTH CARE DIVISION)  
IEC / ISO 17025 : 2005 Accredited And ISO 9001 : 2008 Certified




**NOBLE LAMINATES PVT.LTD.**  
ISO 9001:2015

THE Quality Management System aPPlicable to:  
Scope : Manufacture and supply of  
High Pressure Decorative and Industrial Laminated Sheet

# WOODEN COLOR

Introducing the New Indian HPL Colors at City Wood!  
Fresh shades that bring style,

نقدم لكم الألوان الهندية الجديدة **CITYWOOD** **لدي HPL**  
درجات جديدة تضيف الأناقة ، والمتانة ولمحة عصرية إلى  
ديكوراتك الداخلية.


4012-SF NEW4029-SF NEW8631-VZ NEW8630-VZ NEW4022-SF NEW8621-SF NEW4023-SF NEW8031-SF NEW4017-SF NEW4030-SF NEW4028-SF NEW4025-SF NEW4020-SF NEW4019-SF NEW

**New**  
COLORS

# New Indian HPL colors from Euro Touch

NEW COLOR  
EUROTOUCH

## Anti Finger Print



5002-SM NEW



159-SM NEW



185-SM NEW



172-SM NEW



162-SM NEW



176-SM NEW

"Anti-fingerprint sheets that deliver elegant, clean, and easy-to-maintain surfaces with a refined modern touch."

شیفات مقاومة للتبصّم تمنحك سطحاً أنيقاً،  
نظيفاً، وسهل العناية يدوم بلمسة عصرية راقية



# New Indian HPL Texture colors

5918-IP NEW625-N-39 NEW4010-TX NEW

Discover the new Texture collection at City Wood Colors where design meets elegance

اكتشف مجموعة ألوان التكتشور الجديدة في سيتي وود حيث يلتقي التصميم بالأنوثة

4016-TX NEW4014-TX NEW4018-N4 NEW8415-IP NEW



**NEW  
ARRIVAL**

NEW PRODUCT

## مواصفات لوح الجلوميلا - جودة وأمان في كل تفصيلة

The panel is made of Finger Joint blockboard  
Kiln-dried wood, treated against moisture and bacteria

اللوح مصنوع من كونتر تجميع  
خشب مجفف ومعالج ضد الرطوبة والبكتيريا

Thickness: 18 mm

Panel size: 122 x 275 cm

الickness : 18 مم

Both sides: Same color, PET material

الوجهين : نفس اللون من خامة PET

Features:

يتميز اللوح بأنه

Eco-friendly and odor-free

1- صديق للبيئة وخاري من الروائح.

High resistance to scratches and moisture

2- مقاومة عالية للخدش ضد الرطوبة.



3- درجة عالية من اللمعان.

## Technical Specs DATA SHEET


Section	Item	Details
<b>Product Name</b>		PET Solid Wood Board – 18 mm thickness
<b>1. Product Structure</b>	Core	Selected Pine Solid Wood
	Top Surface	Decorative PET Film – 0.70 mm
	Bottom Surface	PET Balancing Film – 0.35 mm
	Reinforced Layer	Eucalyptus-Poplar Plywood – 2.75 mm (reinforced plywood)
<b>2. Standard Specifications</b>	Thickness	18 mm
	Size	2750 x 1220 mm
	Density	730 ± 20 kg/m³
	Moisture Content	6 – 10 %
<b>3. Physical Properties</b>	Bending Strength	45 MPa
	Bonding Strength	≥ 1.2 MPa
	Surface Hardness	3 S
	Screw-Holding Capacity	1200 N
	Dimensional Stability	Excellent
<b>4. Key Features</b>	High-Gloss, Scratch-Resistant PET Finish	High-gloss PET finish with scratch resistance
	Moisture-Proof & Heat-Resistant	Resistant to moisture and heat
	Odor-Free, Eco-Friendly	Environment-friendly and odor-free
	Enhanced Stability with Reinforced Plywood	Improved stability with reinforced plywood layer
<b>5. Applications</b>	Premium Furniture	High-end / premium furniture
	Kitchen Cabinets	Kitchen cabinetry
	Wardrobe Doors	Wardrobe / closet doors
	Interior Decoration	Interior décor and wall applications




NEW  
PRODUCT




625 S-HG



635 SM



626 S-HG




636 SM




627 S-HG




637 SM



628 S-HG



638 SM



629 S-HG



639 SM




NEW  
PRODUCT




621 S-HG



631 SM




631 S-HG




641 SM




623 S-HG



633 SM



624 S-HG



634 SM





NEW  
PRODUCT




633 S-HG



643 SM



634 S-HG



644 SM




630 S-HG




640 SM



632 S-HG



642 SM



632 SM






NEW  
PRODUCT

It is distinguished by its high resistance to scratches and moisture, along with a high gloss level that gives it an elegant and luxurious appearance. This panel is used in many applications such as kitchens, TV units, bookcases, tables, wardrobes, and various furniture and interior decoration works.

يمتاز بمقاومة عالية للخدش والرطوبة مع درجة لمعان مرتفعة تمنحك مظهراً أنيقاً وفخماً يُستخدم هذا اللوح في العديد من التطبيقات مثل المطابخ، ووحدات التلفزيون، والمكتبات، والترابيزات، وخزانات الملابس، والأعمال المختلفة في الأثاث والديكور الداخلي.

627 S-HG

629 S-HG



# FOAM EX

## New product

"City Wood proudly introduces its latest innovation... Fomex boards, resistant to water and humidity. The perfect solution for bathrooms and moisture-exposed areas, with durability comparable to Bordeaux boards, delivering long-lasting quality


تقدم سيتي وود أحدث منتجاتها من ألواح الفوميكس التي تتميز بأنها ضد الميام والرطوبة واعلي كثافة موجودة بالسوق ( 730 ) . الحل المثالي للستخدام في الحمامات والأماكن المعرضة للرطوبة ، مع قوّة تحمل ومتانة، لتمدك بجودة تدوم وأماناً أكبر .

## Foamex Index

### What Is Foamex

Foamiral is a 100% waterproof polymer board, free from formaldehyde and lead. Safe, non-toxic, and eco-friendly, it's built for a long life without compromising health.

It stands strong against extreme weather, chemicals, and termites. No warping, rotting, or cracking — completely maintenance-free. Perfect for home, commercial, and infrastructure use.



that meet the highest standards. It features an ultra-smooth surface, exceptional strength, and unmatched durability.


It is easy to paint, shape, and install, offering outstanding resistance to moisture and corrosion.

### Foamex VS Others

	Foamex	MDF	Polywood
Resistant to fire.	✓	✗	✗
Protection against moths, termites, and pests.	✓	✗	✗
Fully water and moisture resistant.	✓	✗	✗
No shrinking or swelling.	✓	✗	✗
Corrosion resistant.	✓	✗	✗
Requires no maintenance.	✓	✗	✗
Eco-friendly and safe for the environment.	✓	✗	✗
Suitable for outdoor use.	✓	✗	✗
Excellent screw and nail holding strength.	✓	✗	✗
100% recyclable.	✓	✗	✗
Zero material waste.	✓	✗	✗
Resistant to acids and alkalis.	✓	✗	✗
Can be reused over 25 times in construction projects	≥ 25	1	4 - 6

Foamex VS Others	TEST	UNIT	VALUE
Material Density:	IN HOUSE	gm/cm <sup>3</sup>	0.7/0.5
Hardness Rating:	ISO 868	Shore D	2 ± 46
Moisture Uptake:	ASTM D 570	%	< 0.8
Tensile Performance:	ASTM D 638	MPa	≥ 17
Break Elongation:	ASTM D 638	%	> 17
Charpy Impact Resistance:	ASTM D 256	J/M	29
Izod Impact Resistance:	ASTM D 258	KJ/M <sup>3</sup>	>9.0
Electrical Insulation Strength:	ASTM D 257		5×10
Surface Electrical Resistivity: 2 × 10 /cm (ASTM D 257)	ASTM D 257	/cm	2×10
Vicat Softening Point: Exceeds 80 °C (ASTM D 648)	ASTM D 648	°C	≥80
Thermal Expansion Coefficient: Between 0.6 and 0.7 cm/cm°C (ASTM D 1525)	ASTM D 1525	cm/cm°C	06-07
Heat Conductivity: From 0.05 to 0.07 W/m·K (DIN 52616)	DIN 52616	W/mK	0.5-0.07


### Foamex VS Others




	STANDARD	OPTIONS
WIDTH	1220 mm	≤ 1220 mm
LENGTH	2440 mm	∞
THICKNESS	4.5 mm-17 mm	3 mm-25 mm

# FOAM EX


New product




HG WHITE




ST WHITE



HG GRAY




ST GRAY




HG Beige



ST Beige



HG BLACK



ST BLACK



WD 2221



WD 2061



WD 3484



WD 1391



WD 1431



WD 3474

تتوفر الوان City Wood من FoameX  
أيضاً بالوان خشبية أنيقة  
مما يضفي الدفع والرقي على أي  
مساحة .

# PVC Panels



PVC panels are panels made of a chemically treated material to withstand scratches and high temperatures. A range of wonderful colors are available. These panels are ideal for making modern furniture for homes and offices and are also used in bathroom and kitchen units. These panels are characterized by high quality and have properties that make them last for long periods. They are resistant to water, bacteria and parasites. We are proud to be the exclusive agent of the Turkish company (Stillay) in Egypt, which is known worldwide for the quality of its products that suit different tastes.

الواح (البولي فيريل) هي الواح مصنوعة من مادة معالجة كيميائياً لتحمل الخدوش ودرجة الحرارة المرتفعة ، تتوفر مجموعة من الألوان الرائعة ، هذه الألواح مثالية لصنع أثاث عصري للمنازل والمكاتب وتسخدم أيضاً في وحدات الحمامات والمطابخ ، تميز هذه الألواح بجودة عالية ولها خصائص تجعلها تدوم لفترات طويلة وهي مقاومة للمياه ومضاد للبكتيريا والطفيليات نحن نفخر بأننا الوكيل الحصري لشركة (Stillay التركية) في مصر المعروفة عالمياً بجودة منتجاتها التي تناسب مختلف الأذواق .

MDF Properties					
General Properties		Test Methods	Units	12>=18 mm	18>=30 mm
Thickness Tolerance	EN 324-1	mm	0.20 tolerance	0.30 tolerance	
Length and width Tolerance	EN 324-1	mm/m	2.0 absolute , +- 5mm maximum		
Squareness	EN 324-2	mm/m		+- 2.0	
Density Tolerance	EN 324-1	%	+- 5.0	+- 5.0	
Moisture Content	EN 323	%		4-11	
Formaldehyde Emission	EN 322	mg/100 gr			
• E1				<= 8.0	
• E2				>8.0 - <= 30.0	
Internal Bond	EN 120	N/mm2	0.55	0.55	
Bending Strength	EN 319	N/mm2	20	18	
Modulus of Elasticity	EN 310	N/mm2	2200	2100	
Thickness Swelling 24 hrs (Max)	EN 310	%	10	8	
Surface Holding	EN 320	N			
• Face			1000	1000	
• Edge			800	750	
Density	EN 323	Kg/m3	760-740	730	
Surface absorption	EN 382-1	mm	150	150	
Standard Size / Thickness	For 2440 x 2100		2,5(unsanding) /3/6/8/10/12/14/16 18/22/25/30		
	For 1220 x 2440		2,5(unsanding) /3/6/8/10/12/14/16		

PVC Laminate Properties	
Thickness DIN EN ISO 2286-3	300 um +- 10um
Tolerance C-Rite CI6X-CI7 / D65 / 10 / CIELAB	E*: <= 0.8 L*: -0.4 A*: +- 0.35 B*: +-0.4
Density	>= 1.5 g/cm^2
Tensile Strength ISO 527-3	Longitudinal : >= 45N , Transversal : >= 40N
Elongation at Break ISO 527-3	Longitudinal: >= 20% , Transversal : >= 25%
Scratch Resistance TS RN 15186 / DIN EN ISO 68861-4	<= 0.3N
Gloss Level Rhopoint 20 Gloss Meter	>=80 GU , >= 80 DOI
Light Fastness DIN EN ISO 4892-2/105 B02 TS EN ISO 15187	<= 0.6 (Xenon: 200 hr) E*
Scratch Resistance (Pencil Hardness) TS EN ISO 15187	HB
Adhesion Test	5B Value "0" (No Separate)
Dyne Pen Test	36 mN/m

## Technical Information Data sheet




**PVC Panel Dimensions :**  
**18x 1220 x 2800 mm**

## About Stillay


Stillay Furniture which went into operation with four production lines on an area of 40.000 square meters in 2012 using state-of-the-art technology based on a detailed feasibility study conducted in the wood and construction sectors, has risen to the status of a well-known company in the markets which is taken as an example by others thanks to its product and service quality in a short period of time.

# Soft Touch &


## Solid Colors



543 HG GLACIER WHITE




544 HG LICHEN GREEN



545 HG VANILIA




546 HG GREEN



547 HG WOLFRAM GRAY




429 HG CAPPUCCINO



427 HG BROWN






423 HG BLACK




548 HG SLATE GRAY

"City Wood introduces the latest PVC colors in soft and glossy finishes — modern touches that bring unmatched elegance and style to your interiors."

"Sample of kitchens in soft and glossy finishes."




546 HG GREEN



548 HG SLATE GRAY


## Soft Touch& Solid Colors



210 VELVET GLACIER WHITE




212 VELVET LATTE



211 VELVET LICHEN GREEN



221 VELVET KASCHMIR




224 VELVET BLACK



229 VELVET GREEN




304 VELVET FJORD



309 RIVER STONE



225 VELVET GRAPHITE



316 VELVET TILE



# POLYLAC

## Panels



Indian Polylac from Euro Touch India is a multi-layered, environmentally friendly product with several properties, including that it is very shiny, with a glossiness of up to 99 degrees, and is highly resistant to scratches and heat. It is considered the most waterproof product, unaffected by humidity and corrosion-resistant, and is also multi-purpose, as it is used in kitchens, bathrooms, living rooms, bedrooms, hotel furniture, offices, and cladding.

البولي لوك الهندية من شركة يورو تايش الهندية هو منتج ذو طبقات متعددة صديق للبيئة بعده خصائص ومنها أنه لمع جدًا وتحصل درجة لمعانه إلى 99 درجة، ومقاومة العالية للخدش والحرارة، يعتبر أنه أكثر المنتجات عازلة للمياه ولا يتأثر بالرطوبة ومقاومة للتآكل كما أنه متعدد الاستخدامات، حيث أنه يستخدم في المطابخ والحمامات وغرف المعيشة وغرف النوم والاثاث الفندقي والمكاتب والتجاليد.

## Technical Specs Indian polylac

Feature	Result	Standard
Gloss level (65 degree angle)	99 GU	EN 14323 part 5.13
Assesment of surface resistance to wet heat (100 degree celsius)	6	EN 12721:09
Assesment of surface resistance to dry heat (150 degree celsius)	5 (no change)	EN 12722:09
Scratch resistance	4 Newton (class 4B)	DIN 68861 part 4
Surface abrasion resistance	4800 Rev (Class 3)	EN 14323 cls. 5.9
Test of water steam resistance	6 (Fixed)	EN 14323 cls. 5.11
Assesment of surface resistin g to chemical cold liquids (acetic acid, acetone, ammonia, cleaning agent,etc...)	5 (Fixed)	EN 12720:10
Resistance to staining	5 (Fixed)	EN 14323 cls. 5.6
Behavior towards impact loading by falling a steel ball	No cracking	EN 14323 cls. 5.14
colorfastness to light	5/6. Grades	EN 15187
Bending strength	32 N\mm^2	EN 310
Surface soundness	1.36 N\mm^2	EN 311
Modules of elasticity in bending	4022 N\mm^2	EN 310
Thickness tolerance	±0.7 mm	
Tensile Strength vertical to the surface	0.54 N\mm^2	EN 319

### POLYLAC Specifications

Specular and mirror reflection  
Soft texture with 3D visual effect  
Compatible with acrylic tapes  
Complete bay of PVC  
Possibility of cutting without damage  
Genuine scratches, contamination  
heat resistance  
Easy upkeep and maintenance  
And various Indian quality



## Why choose Euro Touch?

"Euro Touch is distinguished by providing the latest high-quality and sustainable decorative solutions. Our products are carefully designed to combine beauty and durability, while ensuring maximum resistance to scratches and heat. When you choose Euro Touch, you choose innovation, uniqueness, and attention to the smallest details to ensure you get the best results in your interior design."

"تميز شركة يورو تايش بتقديم أحدث الحلول" "الخزفية عالية الجودة والمستدامة. منتجاتنا مصممة بعناية لتناسب بين الجمال والمعاناة، مع ضمان أقصى درجات المقاومة للخدوش والحرارة. عند اختيارك من يورو تايش، فأنت تختار الابتكار، التفرد، والاهتمام بأدق التفاصيل لضمان حصولك على أفضل النتائج في التصميم الداخلي."

# Polylac

## خشباني Color Wood



6160  
Wood Color



6161  
Wood Color



6162  
Wood Color



6171  
Wood Color



6172  
Wood Color



6142  
Wood Color

## Polylac Color Digital



7539  
Digital Color | Rose



7523  
Digital Color | Yellow



7536  
Digital Color | Blue




7540  
Digital Color | Navy




7529  
Digital Color | mint green




7534  
Digital Color | Green



8513  
Solid Color | White




8523  
Solid Color | Off-white



8527  
Solid Color | Beige



8545  
Solid Color | Grey



8540  
Solid Color | Black



6170  
Solid Color | Purple

الوكيل الحصري  
EuroTouch في مصر

# Edge Banding




Edge Banding is aesthetically important for completing your product and show it in the best way and it is not only limited and aesthetic importance but it also protects your product to be side boards water. and as usual from city wood egypt for importing company it is always providing the best possible high quality and present it to the Egyptian market. Also the company provides big quantities of edge banding from the Turkish company (Mobelkant) that specialized in edge banding and also known globally with high quality products. And also provides from (buda furniture) company the best types of turkish glue to stick the edge banding

تعتبر عملية تغليف الحواف مهمة من الناحية الجمالية لاستكمال منتجك وإظهاره بأفضل صورة وهي ليست ذات أهمية جمالية محدودة فحسب بل إنها تحمي منتجك من التعرض للماء وكما هو الحال دائمًا مع شركة سيتي وود إيجيبت فإنها تقدم دائمًا أفضل جودة ممكنة وتقدمها إلى السوق المصرية كما توفر الشركة كميات كبيرة من تغليف الحواف من شركة (موبيلكانت) المتخصصة في تغليف الحواف والمعروفة عالمياً بمنتجاتها عالية الجودة.



4012-SF



562



228



309



423



220

# Adhesive glue

## غراء شريط الحرف



City Wood Egypt exclusively offers two high-quality adhesive products for craft tape, available in two types: transparent (code 531-1) and white (code 555). These two types are specially designed to ensure the best adhesion and bonding strength, meeting the needs of professionals in decoration and finishing works.

تقدم شركة سيتي وود مصر حصرياً منتجين من الغراء عالي الجودة والمخصص لشريط الحرف، يتوفّر بنوعين : الشفاف (الكود ٥٣١-١) والأبيض (الكود ٥٥٥) هذان النوعان ضمماً خصيّطاً لضمان أفضل تماسك وقوّة لصق، مما يلبي احتياجات المهنّيين في أعمال الديكور والتشطيب .

## Technical Specs 531-1

Specification	Value
Shape	Yellowish Transparent Granules
Brookfield Viscosity	62500 +- 25000 MPa.s (Spindle at 190 C 29 rpm)
Softening Point	93 +- 5C
Recommended Material Humidity	8 - 10 %
Recommended Environment Humidity	65 - 75 %
Recommended Environment Temp.	>15 C
Tank Temperature	180 - 200 C
Roller Temperature	180 - 200 C



## Technical Specs 555

Specification	Value
Shape	Granular
Brookfield Viscosity	95500 +- 32500 MPa.s (Spindle at 190 C 29 rpm)
Softening Point	103 +- 5C
Recommended Material Humidity	8 - 10 %
Recommended Environment Humidity	65 - 75 %
Recommended Environment Temp.	>15 C
Tank Temperature	180 - 200 C
Roller Temperature	180 - 200 C



# THE FACTORY

## المنجع

**Our company offers a comprehensive range of advanced manufacturing services, including pressing, cutting, and edge banding.**


We take pride in ensuring that all these operations are carried out by a highly skilled and experienced team, guaranteeing products with exceptional precision. We pay special attention to maintaining the quality of the final product through carefully planned processes that deliver speed and efficiency without compromising high-quality standards

- **Precision:** We ensure all operations are performed with a high level of accuracy, reducing errors and increasing production efficiency.

**تقدّم شركتنا مجموعة متكاملة من خدمات التصنيع المتقدمة، والتي تشمل الكبس، التقطيع، ولصق شريط الحرف**

نحن نفخر بأن جميع هذه العمليات تم ب بواسطة فريق محترف ذو خبرة عالية لضمان تقديم منتجات ذات دقة فائقة. نولي اهتماماً خاصاً للحفاظ على جودة المنتج النهائي من خلال عمليات مدققة بعناية تحقق السرعة والكفاءة دون المساس بمعايير الجودة العالمية

- **الدقة:** نضمن تنفيذ جميع العمليات بمستوى عالٍ من الدقة، مما يقلل من الأخطاء ويزيد من كفاءة الإنتاج.



# Our Projects



One Ninty Mall



Playa Seashell




Noor Smart City



Mazarine Villas Alamein City



Marassi




Z PROJECT



Samsung Project




Joly Fill Hotel



Police Medical Complex



Sky Hospital Fifth Settlement



Military Entity Vekkas



Ras Gharib Hospital

# Our Projects



**EAST OWAINAT** Project



**Modani Furniture**



**ISMAILIA SECURITY DIRECTORATE**



**CENTRAL BANK**



**TOLIP** hotel



**EL DABAA** Project



**Balam Hills El Alamein**



**Cleopatra** hospital



**United** Bank



**The Thousand Villas Project**




**Health** Insurance Hospital



**azur one** eleven hotel

# Our Projects



# Our Projects




**The Vill – New Cairo**



**Cairo Gate Emaar**



**American International School(AIS)**



**Port Said Hotel**



**Port Said Stadium**



**Capital University Project**



**CIB Bank Project**



**Next Bank Project**



**Dorra group**



**Chef Burak Restaurant**



**Abu Kabir Hospital**



**Minya University Hospital**

# "سيتي وود: شراكة مستدامة نحو الإبداع والتميز"

At City Wood, we take pride in being a part of your journey toward creativity and excellence in every project. Our success over the years would not have been possible without your invaluable partnership and the trust we deeply cherish. We believe that true strength lies in collaboration and effective partnerships, and we are proud to have you as part of our extended family of clients, engineers, and designers who are passionate about quality and creativity. We promise to always deliver the best, adhering to the highest standards of quality and innovation to meet all your needs. Your project's success is our success, and we work hard to remain your first choice in space design and luxury product manufacturing.

From the bottom of our hearts, thank you for your continued trust and support.

We look forward to achieving even more together and to a bright future filled with creativity and growth.

## **City Wood**

Where quality and creativity meet.

**شكراً لكم على ثقتك ودعمكم الدائم**

في سيتي وود، نحن نفخر بأن نكون جزءاً من رحلتكم نحو الإبداع والتميز في كل مشروع. إن نجاحنا على مر السنين لم يكن ممكناً دون شراكتكم الثمينة وثقتكما التي نعتز بها. إننا نؤمن أن القوة الحقيقية تكمن في التعاون والشراكة الفعالة، ونفخر بأنكم جزء من عائلتنا الكبيرة التي تضم عمالاً ومهندسين ومصممين يعشقون الجودة والإبداع. نعدكم بأن نستمر في تقديم الأفضل دائماً، وأن نلتزم بأعلى معايير الجودة والابتكار لتلبية كافة احتياجاتكم. نجاح مشاريعكم هو نجاحنا، ونعمل بجد لكي نكون دائماً الخيار الأول لكم في مجال تصميم المساحات وتصنيع المنتجات الفاخرة

من القلب، شكرنا لكم على ثقتك ودعمكم المتواصل  
نطلع إلى المزيد من الإنجازات معاً، وإلى مستقبل مشرق مليء بالإبداع والتطور

**سيتي وود**

الجودة والإبداع يلتقيان هنا





## CONTACT US

### ► Sales Contacts

► 0109 738 4499 | 0102 6484606 | 0100 295 6146

### ► HPL Contacts

► 0115 216 1140 | 0109 856 7228

### ► PVC Contacts

► 0112 315 4538 | 0100 638 8755

### ► Factory Contacts

► 0115 216 1143 | 0102 614 2378 | 0103 026 9378

Scan Here



ابورجيلة ، شارع التrolley ، مؤسسة الزكاة، بجوار مدرسة مودرن سكول  
Abu Regela - Trolley Street - Zakat Foundation, next to Modern School