

A trading company to import wood like Indian Polylac, PVC, HPL, GLUE and EDGE banding and Here you can find all modern colors and materials you need



fCityWoodEgypt

City Wood Egypt



WHO WE ARE

In 2008 City Wood Egypt Company for Import was established to start our journey, always striving for the leadership To Get Our Customer's confidence and satisfaction So we work hard to provide the best for the Egyptian market.

our materials

- 1- HPL
- 2- PVC
- 3- POLYLAC
- 4- EDGE BANDING
- 5- GLUE
- 6- Other services such as pressing, cutting and gluing EDGE BANDING

WHY CITY WOOD?

City Wood Egypt for Import was distinguished by providing the best and Newest types of industrial wood in the Egyptian market in various Types and colors to satisfy all Egyptian tastes and provide Them many options. Our products are also characterized as being used in all furniture and decoration works such as (kitchens - furniture - bathrooms - cladding etc.) And that it has characteristics that distinguish it, such as

- 1- Water and moisture proof
- 2- Heat-resistant
- 3- Anti-bacterial and anti-fungal
- 4-Excellent Scratch Resistant

OUR GOAL

Since the establishment of our brand . we had many goals , the most important one is getting our Customer's confidence and satisfaction and providing the most perfect products to them for them therefor we always strive to provide the best and finest wood in terms of quality and price and providing them to the Egyptian to benefit from them in various fields and we always strive We also always strive to develop and provide the newest products and colors to satisfy all tastes.



من نحن؟

تأسست شركة شركة سيتي وود مصر للاستيراد عام 2008 لتبدأ رحلتنا ساعيين دائما وابداً للريادة والحصول على ثقة ورضا عملائنا ولذلك نعمل جاهدين على تقديم الأفضل للسوق المصرى وتكوين فريق عمل متكامل على أعلى مستوى من العاملين الذين يعملون جاهدين لتوفير متطلباتكم وخدمتكم دائما وابدا

خاماتنا

- HPL -
- ۲- بي في سي
- ٣- بولي لاك
- ٤- شريط الحرف
 - ٥- الغراء
- ٦- خدمات اخري مثل الكبس والتقطيع ولصق شريط الحرف

لماذا سيتي وود؟

تميزت سيتي وود مصر للاستيراد بتوفير أفضل وأحدث أنواع الأخشاب الصناعية في السوق المصري بمختلف الأشكال لترضي جميع الأذواق وتتيح العديد من الخيارات , بل تسعي سيتي وود دائماً لتقديم الأفضل بأفضل سعر ممكن , كما تتميز منتجاتنا بأنها تستخدم في جميع أعمال الأثاث والديكور مثل (المطابخ - الأثاث - الحمامات - التجاليد.... وما الي اخره

وبأن لها خصائص تميزها مثل

- ١- عازلة للماء والرطوبة
 - r- تتحمل الحرارة `
- ٣- مضادة للبكتريا والفطربات
 - ٤- مقاومة للخدش

هدفنا

منذ نشأة علامتنا التجارية وكان لنا العديد من الأهداف أهمهم هو الحصول علي ثقة عملائنا ورضائهم وتقديم منتجات تليق بهم ولذلك دائما ما نسعي لتوفي أفضل وأجود الأخشاب من حيث الجودة والسعر وتوفيره للسوق المصري للاستفادة به في مختلف المجالات

كما نسعى دائماً للتطوير لتوفير أحدث المنتجات والألوان لارضاء جميع الأذواق

Technical Information (Data Shaeet)

Properties	Specified values as per	EURO TOUCH	
	IS:2046-1995, TYPE S, HGS		
Thickness	0.5, 0.7 mm(+- 0.10mm)	✓	
Resistance to surface were	350 (revolution)	350 (revolution)	
Resistance to immersion in boiling water			
Mass increase(%)	10%(maximum)	5% Max	
 Thickness increase(%) 	11.8% (maximum)	6.5 % Max	
Appearance	Not Worse than 4	✓	
Resistance to dry heat 180 C	Not Worse than 4	✓	
Dimensional Stability at deviated temp.			
Longitudinal (%)	0.55% (maximum)	0.5% Max	
• Transverse (%)	1.025% (maximum)	0.87% Max	
Dimensional Stability at 20 C			
 Longitudinal (%) 	0.375% (maximum)	0.295% Max	
Transverse (%)	0.60% (maximum)	0.45% Max	
Resistance to impact by small diameter ball	20 N (minimum)	20 N (minimum)	
Resistance to cracking	Not worse than 4	✓	
Resistance to Staining	20 N (minimum)	2.75 N (minimum)	
Resistance to color change(wool standards)			
 In Xenon arc light 	Not worse than 6	✓	
 In enclosed Carbon arc light 	Not worse than 5	✓	
Resistance to cigarette burns	Not worse than 3	✓	
Resistance to Steam	Not worse than 4	✓	
Appearance	Should be free from foreign	✓	
	particles		

HPL is one of the new materials that have emerged and have been widely used in several fields, the most important of which are the manufacture of kitchens, office and hotel furniture, bathrooms, cladding, and so on. The material is available with a distinctive texture and attractive wooden colors that made it the first choice for lovers of wooden colors.

It is also not limited to wooden colors only, but it is multi-colored and it is also a safe option as it is characterized by high hardness and durability, which makes its life span better.

As we are the exclusive agent in Egypt for the Indian company Euro Touch, which is known worldwide for the quality of its products, and its provision of a wide range of HPL panels in many colors to suit all tastes in the Egyptian market.

Types:

- 1- wooden
- 2- Marble
- 3- Solid
- 4- Soft Touch

الـ HPL من الخامات الجديدة التي ظهرت وتم إستعمالها بكثرة في عدة مجالات ومن أهم هذه المجالات صناعة المطابخ والاثاث المكتبي والفندقى والحمامات والتجاليد وما الي اخره

نتوفر الخامة بملمس مميز وألوان خشبية جذابّة جعلته الخيار الأول لمحبي الألوان .الخشيبة

كما لم تقتصر علي الالوان الخشبية فقط بل هي متعددة الالوان وكما انها خيار امن .حيث انها تتميز بصلابة ومتانه عاليه مما يجعل عمرها الافتراضي افضل

حيث أننا الوكيل الحصرى فى مصر لشركة يورو تاتش الهنديه المعروفه عالمياً بجودة منتجاتهات , وتوفيرها لمجموعه واسعه من الواح ال HPL بالعديد من .الالوان لتناسب كل الأذواق في السوق المصري







Wooden HPL



661 ED



662 ED










1249 WS 8538 N-19 8183 RW 8539 N-19


















8458 SF



Solid







5083 SF 140 CC HG



Marble

















8494 HG







8493 HG 8497 HG

HPL



5939 SF



5938 SF



5050 SF



645 SF 8467 SF



8478 SF 835 SF





8468 SF 8182 SF





PolyLac



TECHNICAL INFROMATION (DATA SHEET)

NO	Feature	Result	Standard
1	Gloss level(65 degree angle)	99gu	EN 14323 part 5.13
2	Assessment of surface resistance to wet heat(100 degree Celsius)	6	EN 12721.09
3	Assessment of surface resistance to dry heat(150 degree Celsius)	5(no change)	EN 12722.09
4	Scratch resistance	4 Newton (class 4b)	DIN 68861 part 4
5	Surface abrasion resistance	4800 Rev(class 3)	EN 14323 cls.5.9
6	Test of water steam resistance	6(Fixed)	EN 14323 cls.5.11
7	Assessment of surface resisting to chemical cold liquids (acetic acid, acetone, ammonia, cleaning agent, etc)	5(Fixed)	EN 12720.10
8	Resistance to staining.	5(Fixed)	EN 14323 cls.5.6
9	Behavior towards impact loading by failing a steel ball	No cracking	EN 14323 cls.5.14
10	Colorfastness to light	5/6 Grades	EN 15187
11	Bending strength	32 N/mm^2	EN 310
12	Surface soundness	1.36 N/mm^2	EN 311
13	Modules of elasticity in bending	4022 N/ mm^2	EN 310
14	Thickness tolerance	0.7mm	
15	Tensile Strength vertical to the surface	0.54 N/mm^2	EN319

The indian Polylac from Euro Touch is a multi-layered environmental product that is has many properties like it is very shiny and its glossiness reaches 99 degrees, It is the highest resistance to scratching and heat and the most water-insulating products, unaffected by moisture and resistant to corrosion.

The Indian polylac is also characterized by these characteristics and more, such as that it consists of two sides, the first Side has Very shiny color and the other is matte of the same color as the surface, which gives the product a more beautiful look, unlike many other products in the Egyptian market and it has two layers of protection It is also versatile as it can be used in kitchens, bathrooms, living room, bedroom, hotel furniture, office furniture, cladding, etc.

البولي لاك الهندي من شركة يورو تاتش الهندية هو منتج بيئي متعدد الطبقات يتميز بأن لديه العديد من الخصائص و منها أنه لامع جدا وتصل درجة لمعانه الي ٩٩ درجة و منها أنه أعلى مقاومة للخدش والحرارة وأكثر المنتجات عازلة للمياة ولا يتأثر بالرطوبة ومقاوم للتأكل

كما أنه متعدد الأستخدامات حيث أنه يمكن أستخدامه في المطابخ والحمامات وغرفة المعيشة وغرفة النوم والأثاث الفندقى وأثاث المكاتب والتجاليد وما الى أخره

كما يتميز البولي لاك الهندي بهذه الخصائص وأكثر مثل أنه يتكون من وجهين حيث أن درجة اللون الأولي لامعه جداً والاخري مط من نفس لون السطح وهو ما يعطي المنتج شكل أكثر جمال وهو . علي عكس العديد من المنتجات الأخري في السوق المصري







POLYLAC





6172- WOODY



6171 - WOODY



6160 - WOODY







7536- DIGITAL



	TEST						
GENERAL PROPERTIES	METHOD	UNIT	2,5>=4 mm	4>=8 mm	8>=12 mm	12>=18 mm	18>=30 mm
Thickness Tolerance	EN 324-1	mm	± 0.20	± 0.20	± 0.20	± 0.20	± 0.30
Lenght and width Tolerance	EN 324-1	mm/m	<u>+</u>	2.0 absolute,	maximum ±	5.0 mm	
Squareness	EN 324-2	mm/m	± 2.0				
Density	EN 323	Kg/m ³	815-850	815-800	780-770	760-740	730
Density Tolerance	EN 323	%	<u>+</u> 5	<u>±</u> 5	± 5	<u>+</u> 5	<u>+</u> 5
Moisture Content	EN 322	%	4-11				
Formaldehyde Emission (E1) EN 120 mg/100 gr		≤ 8.0					
(E2)			> 8.0 - ≤ 30.0				
Internal Bond	EN 319	N/mm ²	0.65	0.65	0.60	0.55	0.55
Bending Stenght	EN 310	N/mm ²	23	23	22	20	18
Modulus of Elasticity	EN 310	N/mm ²	-	2700	2500	2200	2100
Thickness Swelling 24 hrs (max)	EN 317	%	35	30	12	10	8
Surface Absorption	EN 382-1	mm	150	150	150	150	150
Screwholding Face	EN 320	N	not applicable for thicknesses less than 15 mm 800		1000		
Edge					750		
Standard Size / Thickness		mm			14/16/18/22/25/30		
					., ., .,	0/12/14/16/18/22/25/30	
					nding) /3/6/8/10/12/14/16		
					18/22/25/30		
					2,5(unsanding) /3/6/8/10/12/14/16		
			2440 x 4250			18/22/25/30	

Thickness DIN EN ISO 2286-3	300 um +- 10 um
Color Tolerance C-Rite Ci6x-Ci7 / d65 / 10/ CIELAB	E*:<= 0.8 L*: -0.4 a*: +- 0.35
	b*:+-0.4
Density	>= 1.5 g/cm^2
Tensile Strength ISO 527-3	Longitudinal:>= 45N
	Transversal:>= 40N
Elongation at Break ISO 527-3	Longitudinal:>= 20%
	Transversal:>= 25%
Scratch Resistance TS RN 15186 / DIN EN ISO 68861-4	<= 0.3N
Gloss Level Rhopoint 20 Gloss Meter	>= 80 GU
	>= 80 DOI
Light Fastness DIN EN ISO 4892-2/105 B02 TS EN 15187	<= 0.6 (Xenon: 200 hr)E*
Scratch Resistance (Pencil Hardness) TS EN ISO 15187	НВ
Adhesion Test (Cross Cut) ASTM D 3359-17	5B
	Value "0" (No separate)
Dyne Pen Test ASTM D 2578	36 mN/m

PVC panels are panels mixed with MDF which come in a variety of the best colors, making them suitable for making modern furniture sets for the home and office, and attractive decorations in bathrooms, kitchens, etc., and it is a high quality product as it has properties that Increases it's life span, it is scratch-resistant, water- and heat-resistant, and anti-bacterial and anti-parasite.

City Wood Egypt for Import has become the exclusive agent in Egypt for the Turkish company, Stellay, which is known worldwide for the quality of its products, and its provision of a wide range of panels in many colors to suit all tastes in the Egyptian market.

ألواح PVC هي ألواح ممزوجة مع خشب صناعي ام دي اف MDF والتي تأتي بمجموعة متنوعة من أفضل الألوان, مما يجعلها مناسبه لصناعة مجموعات الأثاث العصرية للمنزل والمكتب والديكورات الجذابة في الحمامات والمطابخ وما الي أخره, وهو منتج عالي الجودة حيث ان له خصائص تجعل له عمر افتراضي أطول وهي أنه ضد الخدش و مقاوم للمياه والحرارة ومضاد للبكتريا والطفيليات وأصبحت شركة سيتي وود مصر للاستيراد الوكيل الحصرى في مصر لشركة ستيلاي التركية المعروفه عالمياً بجودة منتجاتها, وتوفيرها لمجموعه واسعه من الواح VC بالعديد من الألوان لتناسب كل الخذواق في السوق المصري







468 HG Dark Emparador



438 HG Latin walnut



303 Velvet Darkar



HG Anthracite





HG Matrix Bordeaux 506



HG Erciyes walnut 534



490 HG Antique light



309 Velvet River Stone





HG Fuchsia



440 HG Milano Walnut



519 HG Turkuaz Blue




HG Bambo









HG Smoked 538



Velvet Fjrod



التحنيع



توفر الشركة خدمات التصنيع ومنها (الكبس والتقطيع ولصق شريط الحرف) .والتي يعمل بهم عمال ذات خبرة عاليه قادرين علي تسليم المنتج دون أخطاء ممكنة في أسرع وقت

The company provides manufacturing services, including (pressing, cutting and gluing edge banding) Which is employed by highly experienced workers who are able to deliver the product without possible





يط الحرف والغراء











ALL SIZES



DIFFERENT MATERIALS



DIFFERENT COLORS



glossy or matte

The edge banding has became aesthetic importance to complete your product and show it better and it is not only aesthetic importance, but works to protect your product because it insulates the sides of the panels from water and other factors that we mentioned earlier.,

As is usual from City Wood Egypt Import Company to provide the highest possible quality and present it to the Egyptian market, the company also provides large quantities of Edge Banding from the Turkish company Mor that specialized in Edge Banding. City wood provides the best glue to stick the edge banding

أصبح لشريط الحرف أهميه جماليه لإكمال منتجك و إظهاره بشكل أفضل ولم يقتصر على أهميه جمالية فقط , بل يعمل على حمايه منتجك لأنه يكون عازل لجوانب الألواح من المياه و العوامل الأخري التي سبقنا وذكرناها



وكما هو المعتاد من شركة سيتي وود مصر للإستيراد على تقديم أعلى جودة ممكنة وتقديمها للسوق المصري ,كما توفر الشركة كميات كبيرة من شريط الحرف من شركة مور التركية المتخصصة في شريط الحرف والمشهورة عالميا بجودة منتجاتها وأيضا توفر الشركة أفضل أنواع الغراء للصق الشريط الحرف

hope we meet again soon

The End

